











LE INV 11 - 55 PLUS

Cod.

Modèles LE PLUS avec entraînement direct à vitesse variable, de 11 kW à 55 kW. Disponibles en versions 8, 10 et 13 bars.

Cod.	 Débit à @ max p	 Moteur	 Tension Hz	 Niveau sonore	 Cycle de marche	 max P.	 Taille	 Poids net
LE INV 11 8 bar 131061342-01-106	m³/min l/min 1.81 1810	kW 11	400V 50/60Hz	db(A) 64	100 %	bar 8	mm 1340x700x1200	Kg 320
LE INV 11 10 bar 131062342-01-106	m³/min l/min 1.51 1510	kW 11	400V 50/60Hz	db(A) 64	100 %	bar 10	mm 1340x700x1200	Kg 320
LE INV 11 13 bar 131063342-01-106	m³/min l/min 1.2 1200	kW 11	400V 50/60Hz	db(A) 64	100 %	bar 13	mm 1340x700x1200	Kg 320
LE INV 15 PLUS 8 bar 131071342-01-106	m³/min l/min 2.33 2330	kW 15	230V 50/60Hz	db(A) 65	100 %	bar 8	mm 1340x700x1200	Kg 330
LE INV 15 PLUS 10 bar 131072342-01-106	m³/min l/min 2 2000	kW 15	400V 50/60Hz	db(A) 65	100 %	bar 10	mm 1340x700x1200	Kg 330
LE INV 15 PLUS 13 bar 131073342-01-106	m³/min l/min 1.6 1600	kW 15	400V 50/60Hz	db(A) 65	100 %	bar 13	mm 1340x700x1200	Kg 330
LE INV 18 8 bar 131081342-01-106	m³/min l/min 2.77 2770	kW 18	400V 50/60Hz	db(A) 66	100 %	bar 8	mm 1660x760x1420	Kg 360
LE INV 18 10 bar 131082342-01-106	m³/min l/min 2.39 2390	kW 18	400V 50/60Hz	db(A) 66	100 %	bar 10	mm 1660x760x1420	Kg 360
LE INV 18 13 bar 131083342-01-106	m³/min l/min 1.94 1940	kW 18	400V 50/60Hz	db(A) 66	100 %	bar 13	mm 1660x760x1420	Kg 1680x800x1440
LE INV 22 8 bar 131091342-01-106	m³/min l/min 3.5 3500	kW 22	400V 50/60Hz	db(A) 66	100 %	bar 8	mm 1660x760x1420	Kg 420
LE INV 22 10 bar 131092342-01-106	m³/min l/min 3 3000	kW 22	400V 50/60Hz	db(A) 66	100 %	bar 10	mm 1660x760x1420	Kg 420
LE INV 22 13 bar 131093342-01-106	m³/min l/min 2.42 2420	kW 22	400V 50/60Hz	db(A) 66	100 %	bar 13	mm 1660x760x1420	Kg 420
LE INV 30 8 bar 131101342-01-106	m³/min l/min 4.71 4710	kW 30	400V 50/60Hz	db(A) 67	100 %	bar 8	mm 1660x760x1420	Kg 530
LE INV 30 10 bar 131102342-01-106	m³/min l/min 4.06 4060	kW 30	400V 50/60Hz	db(A) 67	100 %	bar 10	mm 1660x760x1420	Kg 530

Cod.	Débit à @ max p	Moteur	Tension Hz	Niveau sonore	Cycle de marche	max P.	Taille	Poids net
LE INV 30 13 bar 131103342-01-106	m³/min l/min 3.37 3370	kW 30	400V 50/60Hz	db(A) 67	100 %	bar 13	mm 1660x760x1420	Kg 530
LE 37 PLUS 8 bar 131111342-01-106	m³/min l/min 6.37 6370	kW 37	400V 50/60Hz	db(A) 67	100 %	bar 8	mm 2400x980x1800	Kg 960
LE 37 PLUS 10 bar 131112342-01-106	m³/min l/min 5.61 5610	kW 37	400V 50/60Hz	db(A) 67	100 %	bar 10	mm 2400x980x1800	Kg 960
LE 37 PLUS 13 bar 131113342-01-106	m³/min l/min 4.77 4770	kW 37	400V 50/60Hz	db(A) 67	100 %	bar 13	mm 2400x980x1800	Kg 960
LE INV 45 8 bar 131121342-01-106	m³/min l/min 7.5 7500	kW 45	400V 50/60Hz	db(A) 67	100 %	bar 8	mm 2040x980x1800	Kg 1070
LE INV 45 10 bar 131122342-01-106	m³/min l/min 6.7 6700	kW 45	400V 50/60Hz	db(A) 67	100 %	bar 10	mm 2040x980x1800	Kg 1070
LE INV 45 13 bar 131123342-01-106	m³/min l/min 6.7 6700	kW 45	400V 50/60Hz	db(A) 67	100 %	bar 13	mm 2040x980x1800	Kg 1070
LE INV 55 PLUS 8 bar 131131342-01-106	m³/min l/min 9 9000	kW 55	400V 50/60Hz	db(A) 67	100 %	bar 8	mm 2040x980x1800	Kg 1220
LE INV 55 PLUS 10 bar 131132342-01-106	m³/min l/min 8 8000	kW 55	400V 50/60Hz	db(A) 67	100 %	bar 10	mm 2040x980x1800	Kg 1220
LE INV 55 PLUS 13 bar 131133342-01-106	m³/min l/min 6.5 6500	kW 55	400V 50/60Hz	db(A) 67	-	bar 13	mm 2040x980x1800	Kg 1220